## **AQUASPORTS MARINE**

BOATING

AQUASPORTS

Marine

SUPER CENTRE

Yamaha 0.00

Phone: 08 9250 3339

Email: info@aquasportsmarine.com.au

Website:

**Boat Details** 

Price POA Boat Brand
Model F150 Length

Year 2024 Category Boat Engines and Outboards

Hull Style Hull Type

Power TypePowerStock NumberF150LCAConditionNewStateWestern Australia

Suburb CANNING VALE Engine Make

## **Description**

Yamaha's popular and proven range of F150 Digital and Mechanical Control outboards now feature a newly designed look and integrated steering, taking these engines to the next level when it comes to power, reliability and control.

Boat owners can now choose from Integrated Hydraulic Steering or Integrated Electro-Hydraulic Steering, with both systems housed in a neat, sealed cylinder unit, which is built into the transom bracket of the engine, rather than being a third-party bolt-on component. This results in a simple and clean rigging set-up, and an uncluttered bilge and transom area, while exposing less components to the elements for improved long-term durability and reliability.

The Integrated Electro-Hydraulic Steering models are fully compatible with Yamaha's exclusive Helm Master EX Autopilot and Joystick system, a must have system for serious fishermen and skippers who demand ultimate boat control.

This new range of four-cylinder integrated steering models are ideal for all applications, including new boat packages, existing boat repowers and multi engine set-ups.

Available in signature Yamaha grey and pearlescent white, the modernised F150 outboards bring a new level of delight to boating.

MODELSF150SAF150CBF150C

Control SystemDigital Electronic Control (DEC)

Digital Electronic Control (DEC)

Mechanical Control

(MEC)

Steering SystemIntegrated Electro-Hydraulic Steering (IEHS)

Integrated Hydraulic Steering (IHS)

Integrated Hydraulic Steering

(IHS)

ColourYamaha Grey or Pearlescent White Yamaha Grey Yamaha Grey

Helm Master EX Autopilot/Joystick CompatibleYes -

Counter RotatingYes - Yes

Transom Height (Shaft Length) mm [inch]X: 642 [25.3] L: 516 [20.4] | X: 642 [25.3] L: 516 [20.4] | X: 642 [25.3] table { font-family: Roboto, helvetica; border-collapse: collapse; width: 100%; } td, th { border: 1px solid #dddddd; text-align: left;

padding: 8px; } tr:nth-child(odd) { background-color: #dddddd; } Technical Specification

Height(L): 516 [20.4] (X): 642 [25.3]

WeightF150XSA: 237 | F150LCB: 234 | F150XCB: 235 | F150LC: 231 | F150XC: 236

Engine4-Stroke, 16 Valve DOHC Direct Action In-Line 4 DisplacementF150SA & F150CB: 2785 | F150C: 2670 BoreF150SA & F150CB: 96.0 x 96.2 | F150C: 94.0 x 96.2

Max RPM5000-6000 LubricationWet-sump

FuelEFI IgnitionTCI StarterElectric

AlternatorF150SA & F150CB: 50A | F150C: 35A

OperationF150SA: DEC/IEHS | F150CB: DEC/IHS | F150C: MEC/IHS TiltF150SA & F150CB: TotalTilt $^{\rm m}$  with Limiter | F150C: Tilt Limiter

GaugesOptional Network GaugesOptional

Gear Ratio2.00 : 1 (Counter Rotating models: LF150XSA & LF150XC) SteeringBuilt-in Electric Assisted Hydraulic or Built-in Hydraulic

**Engine Details** 

Horse Power 150